STATE OF FLORIDA DEPARTMENT OF HEALTH **COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT**



**** McFeeKA 11/27/2023 12:39:11 PM ****

Facility Information

Permit Number: 05-48-01142

Name of Facility: Eau Gallie High School Cafeteria

Address: 1400 Commodore Boulevard

City, Zip: Melbourne 32935

Type: School (9 months or less) Owner: Brevard County School Board

Person In Charge: Grillo, Sherry Phone: (321) 242-6407

PIC Email: grillo.sherry@brevardschools.org

Inspection Information

Purpose: Routine Number of Risk Factors (Items 1-29): 0 Begin Time: 11:01 AM Inspection Date: 11/17/2023 Number of Repeat Violations (1-57 R): 0 End Time: 11:50 AM

Correct By: None FacilityGrade: N/A Re-Inspection Date: None StopSale: No

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- NA 2. Certified Manager/Person in charge present **EMPLOYEE HEALTH**
- IN 3. Knowledge, responsibilities and reporting
- N 4. Proper use of restriction and exclusion
- IN 5. Responding to vomiting & diarrheal events GOOD HYGIENIC PRACTICES
- IN 6. Proper eating, tasting, drinking, or tobacco use
- N 7. No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS
- IN 8. Hands clean & properly washed
- No bare hand contact with RTE food
- IN 10. Handwashing sinks, accessible & supplies APPROVED SOURCE
- IN 11. Food obtained from approved source
- NO 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- NA 14. Shellstock tags & parasite destruction PROTECTION FROM CONTAMINATION
- IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized
- IN 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

RESULT: Satisfactory

- 18. Cooking time & temperatures
- NO 19. Reheating procedures for hot holding
- IN 20. Cooling time and temperature
- **IN** 21. Hot holding temperatures
- N 22. Cold holding temperatures
- IN 23. Date marking and disposition
- NO 24. Time as PHC; procedures & records
 - CONSUMER ADVISORY
- NA 25. Advisory for raw/undercooked food
 - HIGHLY SÚSCEPTIBLE POPULATIONS
- NA 26. Pasteurized foods used; No prohibited foods
 - ADDITIVES AND TOXIC SUBSTANCES
- N 27. Food additives: approved & properly used
- 28. Toxic substances identified, stored, & used
 - APPROVED PROCEDURES
- NA 29. Variance/specialized process/HACCP

Inspector Signature: my A Hat **Client Signature:**

Form Number: DH 4023 03/18 05-48-01142 Eau Gallie High School Cafeteria

1 of 3

STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



**** McFeeKA 11/27/2023 12:39:11 PM ****

Good Retail Practices

SAFE FOOD AND WATER

IN 30. Pasteurized eggs used where required

IN 31. Water & ice from approved source

NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

IN 33. Proper cooling methods; adequate equipment

IN 34. Plant food properly cooked for hot holding

NO 35. Approved thawing methods

IN 36. Thermometers provided & accurate

FOOD IDENTIFICATION

IN 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

IN 38. Insects, rodents, & animals not present

IN 39. No Contamination (preparation, storage, display)

IN 40. Personal cleanliness

IN 41. Wiping cloths: properly used & stored

NO 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

IN 43. In-use utensils: properly stored

N 44. Equipment & linens: stored, dried, & handled

N 45. Single-use/single-service articles: stored & used

NA 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

IN 47. Food & non-food contact surfaces

IN 48. Ware washing: installed, maintained, & used; test strips

Non-food contact surfaces clean

PHYSICAL FACILITIES

IN 50. Hot & cold water available; adequate pressure

IN 51. Plumbing installed; proper backflow devices

IN 52. Sewage & waste water properly disposed

IN 53. Toilet facilities: supplied, & cleaned IN 54. Garbage & refuse disposal

IN 55. Facilities installed, maintained, & clean

N 56. Ventilation & lighting

IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

No Violation Comments Available

Inspector Signature:

WAAHAM

Client Signature:

Form Number: DH 4023 03/18 05-48-01142 Eau Gallie High School Cafeteria

STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



**** McFeeKA 11/27/2023 12:39:11 PM ****

General Comments

No violations observed at time of inspection.

Refrigerators temped at 37 F, 36 F, and 35 F. Freezers temped at 6 F and -4 F. Seating capacity- 680 people.

Green beans- 168 F. Tator tots- 141 F. Pizza- 141 F, 178 F. Cheese sticks- 140 F. Rice- 182 F. Chicken- 144 F. Taco meat- 143 F. Black beans- 158 F. Milk- 41 F. Juice- 41 F.

3 compartment sink w/ quat sanitizer and test strips (200 ppm)

City water, city sewer.

For important changes to Chapter 64E-11 Food Hygiene, new employee training requirements, Time as a Public Health Control Procedures, and other educational material please visit www.brevardeh.com http://www.brevardeh.com.

- · Hepatitis A Virus Alert for Food Workers: http://ww11.doh.state.fl.us/comm/_partners/hepatitis_a/Hep_A_Facts/hepA_foodworkers_17x11_4-11.pdf
- · Hepatitis A Disinfection Guide for Public Restrooms:
- <http://ww11.doh.state.fl.us/comm/_partners/hepatitis_a/Hep_A_Facts/hepA_disinfection_17x11_public.pdf>
- · Please view the following webpage for educational material on proper handwashing: https://www.cdc.gov/handwashing/show-me-the-science.html

Email Address(es): grillo.sherry@brevardschools.org

Inspection Conducted By: Margaret Hansotte (002993) Inspector Contact Number: Work: (321) 615-9375 ex.

Print Client Name: Sherry Grillo

Date: 11/17/2023

Inspector Signature:

Wt 4 Hatt

Client Signature:

Form Number: DH 4023 03/18 05-48-01142 Eau Gallie High School Cafeteria